




BAHCO HYDRAULICS



► Elevation of Engine & Transmission	5
Foldable Crane 1T	5
Adjustable Engine Sling	5
Engine Support Bar	6
Geared Engine Stand	6
Transmission Jacks	7
Universal Saddle	7
► Elevation of Vehicles	8
Extra Low Entrance, Extra High Elevation Trolley Jack 1,5T	8
Extra Low Entrance Trolley Jack 2T	8
Lightweight Aluminium Trolley Jack 2,5T	9
Extra High Elevation Trolley Jack 3T	9
Extra Long Trolley Jack 5T	10
Extra Long Trolley Jack 10T	10
Air-Hydraulic Compact Jack 30/15T	11
Air-Hydraulic Jack 30/15T	11
Extra Low Entrance Air-Hydraulic Jack 40/20/10T	12
Air-Hydraulic Jack 60/40/20T	12
Heavy Duty Saddles	13
Jack Stands	13
Heavy Duty Jack Stands	14
Bottle Jacks	14
► Other Hydraulic Equipment	15
Hydraulic Wheel Dolly	15
Portable Ram Sets 4T and 10T	15



Bahco is now launching a complete range of lifting and hydraulic equipment for all types of vehicles, engines and other heavy parts! We are proudly presenting a wide assortment of professional hydraulic tools with a unique design and essential features. The range includes a foldable crane accompanied by several accessories as well as transmission jacks for easy handling of engine and transmission boxes. We offer trolley jacks and air hydraulic jacks for quick lifting and jack stands for maintaining both cars and heavy vehicles when elevated. The range also contains other important equipment, such as a hydraulic wheel dolly and ram sets. The Bahco range of Hydraulic tools enables a quick, comfortable and safe working day!

There are Several Good Reasons to Go for Bahco...!

BAHCO TROLLEY JACKS

QUICK LIFT

 QUICK LIFT



- **Extra large foot pedal** makes it safe and comfortable to use
- **Dual pistons** ensures very quick lifting

BAHCO TROLLEY JACKS



PRACTICAL &

 COMFORTABLE

- **Extra low minimum entry heights**
- **Easy descend** by controlled swivelling of lever
- **Inbuilt tray** for storage of tools, screws, bolts etc
- **Curved handle** for increased comfort and accessibility

BAHCO TROLLEY JACKS

DURABLE

 & SILENT



- **Wheels made of steel** for increased durability
- The steel wheels are covered with PU for a **smooth and silent operation**

BAHCO TROLLEY JACKS






PROTECTING

 THE VEHICLES

- **Rubber saddle** included
- **Protection on the lever** to prevent damage on the vehicles



FOLDABLE CRANE 1T



- Foldable body and four fixed positions of the lifting arm;
- 1.000 , 750, 500 and 250 kg
- Dual effect cylinder which decreases the number of necessary strokes by 50%
- Great flexibility and wide area of usage;
- Minimum entry height: 88 mm
- Maximum hook height: 2.040 mm
- Steel and PU covered wheels ensure both excellent durability and silent handling
- Swivelling PU pump lever for easy and comfortable pumping from any direction
- Increased safety due to:
 - "Dead man" safety mechanism
 - Overload valve
 - Swivel safety hook

Icon	Capacity (Ton)	Dimensions (mm)	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Volume (m³)	EAN Code	Price (€)
	BH6FC1000	1 / 0,75 / 0,5 / 0,25	1.650 x 490 x 430	2.040	88	100	1	7314150178650	xx,xx

ADJUSTABLE ENGINE SLING



- To easily lift and move engines and other heavy parts
- Extra long length of 640 mm, designed for easy attachment to in-line 6 cylinder engines
- Rapid angle adjustment possible via hex nuts at each end of sliding bar
- Attach with either a regular ratchet or a power ratchet
- Heavy duty welded sling chain
- Heavy duty solid mounting plates
- Suitable accessory to the BH6FC1000, foldable crane

Icon	Capacity (Ton)	Dimensions (mm)	Length (mm)	Weight (kg)	Volume (m³)	EAN Code	Price (€)
	BH6AC1-680	0,68	70 x 680 x 220	640	6,7	1	7314150178667 xx,xx

PU = Polyurethane

BAHCO TROLLEY JACKS



- ▶ Fully swivelling handle to avoid any accidental lowering
- ▶ Safety pressure valve preventing overloading
- ▶ Safety lowering valve ensures safe lowering even at maximum load

BAHCO AIR JACKS



- ▶ Safety pressure valve to prevent overloading
- ▶ In case of lost air pressure, the elevation still remains

BAHCO AIR JACKS



- ▶ Low entrance height, as low as 125 mm
- ▶ Two extensions included for further elevation, 45 and 75 mm
- ▶ Extra large PU wheels to overcome any obstacle, mini wheel on level facilitates manoeuvrability

BAHCO AIR JACKS



- ▶ PU protection along the handle to protect vehicles
- ▶ Extra large PU wheels to overcome any obstacle, mini wheel on level facilitates manoeuvrability

BAHCO JACK STANDS



- ▶ Wide area of use: allows both small and heavy vehicles to be lifted

BAHCO JACK STANDS



- ▶ Safety pin locking system for increased safety
- ▶ Reach preferred height by stop locking, click positioning or screwing system

BAHCO CRANE



- ▶ Only 88 mm entry height
- ▶ Very quick pumping of lifting arm thanks to dual effect cylinders
- ▶ Comfortable thanks to rotating pumping cylinder, allows the user to pump from any direction
- ▶ Extra large wheels for easy operation

BAHCO CRANE



- ▶ High safety with pin locking system in open and folded position
- ▶ "Dead man" safety mechanism
- ▶ Overload valve
- ▶ Swivel safety hook

PU = Polyurethane

▶ ENGINE SUPPORT BAR



- To easily lift and move engines out of the engine bay
- Width adjustable up to 1.700 mm ensures a wide area of usage
- Suitable for Audi Q7, BMW X5, Porsche Cayenne, VW Touareg
- Features two adjustable heavy duty hooks
- Tilting mechanism to allow easy transfer of weight centre, when needed

Icon	Ton	mm	L max mm	kg	Icon	EAN Code	€
	0,5	70 x 680 x 220	1.700	6,7		7314150170463	xx,xx

▶ GEARED ENGINE STAND



- Designed for easy direct engine maintenance
- Features a unique 63:1 gear ratio for optimal safety no matter how much the load is offset, the load will never be able to swing to the bottom
- Foldable for easy storage
- Fully adjustable engine locking pins
- Swivel wheels with brakes

Icon	Ton	mm	kg	Icon	EAN Code	€
	0,45	240 x 960 x 340	41,5		7314150170470	xx,xx

▶ TRANSMISSION JACKS



- Single piston transmission jacks with impressive elevation possibility
- "Dead man" safety mechanism
- Ideal to use with the universal saddle BH5U5500

Icon	Ton	mm	max T mm	min T mm	kg	Icon	EAN Code	€
	0,3	270 x 1.080 x 255	1.960	1.160	31		7314150170425	xx,xx
	0,5	280 x 1.080 x 255	1.960	1.160	37		7314150170432	xx,xx

▶ UNIVERSAL SADDLE



- 500 kg capacity for easy attachment of any engine parts
- Possible to swivel and adjust in all different angles
- Heavy duty welded sling chains
- Heavy duty solid mounting plates
- Suitable to use with the Bahco Transmission Jacks BH5SP300 and BH5SP500

Icon	Ton	mm	L mm	kg	Icon	EAN Code	€
	0,68	70 x 680 x 220	640	6,7		7314150170449	xx,xx

▶ EXTRA LOW ENTRANCE, EXTRA HIGH ELEVATION TROLLEY JACK 1,5T



- Extra large round shaped foot pedal for easy operation
- Dual pistons which decreases the number of necessary strokes by 50%
- Dust cover that protects the pistons and spring reducing the risk of damage caused by dust and dirt
- Rubber saddle included protecting all surfaces and prevents slipping
- Steel and PU covered wheels ensures both excellent durability and silent handling
- Curved handle for increased comfort and accessibility
- Useful tray located at the bottom of the handle for storage of tools, screws and nuts
- Safety pressure valve preventing overloading
- Safety lowering valve ensures safe lowering even at maximum load

Icon	Ton	L mm	mm	max mm	min mm	kg	Icon	EAN Code	€
	1,5	960	960 x 385 x 215	610	70	50,5		7314150178797	xx,xx

▶ EXTRA LOW ENTRANCE TROLLEY JACK 2T




- Extra large round shaped foot pedal for easy operation
- Dual pistons which decreases the number of necessary strokes by 50%
- Dust cover that protects the pistons and spring reducing the risk of damage caused by dust and dirt
- Rubber saddle included protecting all surfaces and prevents slipping
- Curved handle for increased comfort and accessibility
- Steel and PU covered wheels ensures both excellent durability and silent handling
- Useful tray located at the bottom of the handle for storage of tools, screws and nuts
- Safety pressure valve preventing overloading
- Safety lowering valve ensures safe lowering even at maximum load

Icon	Ton	L mm	mm	max mm	min mm	kg	Icon	EAN Code	€
	2	785	785 x 385 x 215	490	70	44,5		7314150178803	xx,xx

PU = Polyurethane

▶ EXTRA HIGH ELEVATION TROLLEY JACK 3T



- Extra large round shaped foot pedal for easy operation
- Dual pistons which decreases the number of necessary strokes by 50%
- Dust cover that protects the pistons and spring reducing the risk of damage caused by dust and dirt
- Rubber saddle included protecting all surfaces and prevents slipping
- Steel and PU covered wheels ensures both excellent durability and silent handling
- Curved handle for increased comfort and accessibility
- Useful tray located at the bottom of the lever for easy storage of tools, screws and nuts
- Safety pressure valve preventing overloading
- Safety lowering valve ensures safe lowering even at maximum load

Icon	Ton	L mm	mm	max mm	min mm	kg	Icon	EAN Code	€
	3	830	830 x 385 x 215	552	90	49,5		7314150178810	xx,xx

▶ LIGHTWEIGHT ALUMINIUM TROLLEY JACK 2,5T



- 100 % aluminium body ensures a flexible and lightweight trolley jack!
- Only weighs 25 kg!
- Dual pistons which decreases the number of necessary strokes by 50%
- Dust cover that protects the pistons and spring reducing the risk of damage caused by dust and dirt
- Rubber saddle included protecting all surfaces and prevents slipping
- Useful tray located at the bottom of the handle for storage of tools, screws and nuts
- Safety pressure valve preventing overloading
- Safety lowering valve ensures safe lowering even at maximum load
- Lateral handles for easy transportation
- Ideal for racing and road service

Icon	Ton	L mm	mm	max mm	min mm	kg	Icon	EAN Code	€
	2,5	740	800 x 370 x 200	490	97	26		7314150170555	xx,xx

PU = Polyurethane

▶ **EXTRA LONG
TROLLEY JACK 5T**



- PVC covered steel structure handle ensures both high durability and comfort
- Three fixed lever positions
- Safety pressure valve preventing overloading
- Safety lowering valve ensures safe lowering even at maximum load

BH15000	5	1.410	1.570 x 420 x 240	680	150	105	1	7314150170531	xx,xx	


▶ **EXTRA LONG
TROLLEY JACK 10T**



- PVC covered steel structure handle ensures both high durability and comfort
- Three fixed lever positions
- Safety pressure valve preventing overloading
- Safety lowering valve ensures safe lowering even at maximum load

BH110000	10	1.540	1.670 x 520 x 280	560	160	153	1	7314150170548	xx,xx	


▶ **AIR-HYDRAULIC
COMPACT JACK 30/15T**



- Heavy duty design ensures durability and long tool life
- Ideal for road services due to the compact size, complete with a removable handle / lever and the soft grip transportation handle
- The extra large and thick PU wheels easily overcome any obstacle such as hoses
- Two adaptors included to increase the possible elevation
 - 45 mm
 - 75 mm
- Weight: 33 kg
- Safety pressure valve preventing overloading

BH23015C	30 / 15	430	550 x 370 x 300	292	150	35	1	7314150178742	xx,xx	

▶ **AIR-HYDRAULIC
JACK 30/15T**



- Heavy duty design ensures high durability
- The support wheel located on the lever prevents injuries and enables an increased manoeuvrability of the jack
- PU protection on the steel lever helps prevent scratches to the vehicle
- Soft grip transportation handle
- The extra large and thick PU wheels easily overcome any obstacle such as hoses
- Two adaptors included to increase the possible elevation
 - 45 mm
 - 75 mm
- Weight: 46 kg
- Safety pressure valve preventing overloading

BH23015	30 / 15	480	870 x 370 x 340	289	150	49	1	7314150178759	xx,xx	

PU = Polyurethane

**▶ EXTRA LOW ENTRANCE
AIR-HYDRAULIC JACK 40/20/10T**



- Heavy duty design ensures durability and long tool life
- Extremely low entrance level: 125 mm
- The support wheel located on the lever prevents injuries and enables an increased manoeuvrability of the jack
- PU protection on the steel lever helps prevent scratches to the vehicle
- Soft grip transportation handle
- The extra large and thick PU wheels easily overcome any obstacle such as hoses
- Two adaptors included to increase the possible elevation
 - 45 mm
 - 75 mm
- Weight: 44 kg
- Safety pressure valve preventing overloading

Model	Capacity (Ton)	Height (mm)	Width (mm)	Depth (mm)	Min. Height (mm)	Max. Height (mm)	Weight (kg)	Quantity	EAN Code	Price (€)
BH2402010	40 / 20 / 10	785	910	390	125	287	47	1	7314150178766	xx,xx

▶ AIR-HYDRAULIC JACK 60/40/20T



- Heavy duty design ensures durability and long tool life
- The support wheel located on the lever prevents injuries and enables an increased manoeuvrability of the jack
- PU protection on the steel lever helps prevent scratches to the vehicle
- Soft grip transportation handle
- The extra large and thick PU wheels easily overcome any obstacle such as hoses
- Two adaptors included to increase the possible elevation
 - 45 mm
 - 75 mm
- Weight: 64 kg
- Safety pressure valve preventing overloading

Model	Capacity (Ton)	Height (mm)	Width (mm)	Depth (mm)	Min. Height (mm)	Max. Height (mm)	Weight (kg)	Quantity	EAN Code	Price (€)
BH2604020	60 / 40 / 20	816	910	390	150	312	67	1	7314150178773	xx,xx

PU = Polyurethane

▶ HEAVY DUTY SADDLES



- Universal heavy duty machined saddles to be used with the Bahco range of Air-hydraulic jacks
- Single piece saddles of machined steel
- Round shaped: BH2AC60-140, Ø140 mm with special upper shape to facilitate the positioning under vehicles
- V-shaped: BH2AC60V110, specially designed for better fixing in axles

Model	Capacity (Ton)	Width (mm)	Height (mm)	Weight (kg)	Quantity	EAN Code	Price (€)
BH2AC60-140	60	190	175	90	3	7314150168958	xx,xx
BH2AC60V110	60	140	125	65	1	7314150178933	

▶ JACK STANDS



- Click positioning system
- Extra large feet area improves the stability as well as prevents the unit from sinking down into the ground
- Sold in pairs

Model	Capacity (Ton)	Width (mm)	Height (mm)	Min. Height (mm)	Max. Height (mm)	Weight (kg)	Quantity	EAN Code	Price (€)
BH33000	3	360	225	205	425	288	7	7314150178674	xx,xx
BH36000	6	460	310	265	605	395	13,2	7314150178681	xx,xx

▶ HEAVY DUTY JACK STANDS



- Pin safety locking system (except BH3HD1200 which is equipped with a knob bearing system ensuring precise adjustment of the height)
- Sold individually

Icon	Ton	mm	max mm	min mm	kg	Icon	Icon	EAN Code	€
	BH3HD8000	8	435 x 442 x 44	600	385	9,4	1	7314150170494	xx,xx
	BH3HD12000	12	305 x 370 x 340	515	345	12,3	1	7314150170500	xx,xx
	BH3HD16000	16	440 x 500 x 450	720	480	18,8	1	7314150170524	xx,xx
	BH3HD20000	20	470 x 800 x 470	1.200	745	35,5	1	7314150170517	xx,xx

▶ BOTTLE JACKS



- High quality professional bottle jacks for intensive use and high demands
- Welded housing ensures higher durability and reduces the risk of leakage
- Working conditions: -20 to 70 °C

Icon	Ton	mm	max mm	min mm	kg	Icon	Icon	EAN Code	€
	BH42	2	185 x 130 x 110	372	172	3,9	1	7314150178698	xx,xx
	BH45	5	225 x 135 x 120	468	212	5,0	1	7314150178704	xx,xx
	BH410	10	230 x 150 x 145	483	220	7,5	1	7314150178711	xx,xx
	BH415	15	240 x 165 x 150	498	231	10,1	1	7314150178728	xx,xx
	BH420	20	250 x 180 x 170	521	241	13,3	1	7314150178735	xx,xx
	BH430	30	270 x 195 x 185	492	244	16,1	1	7314150178780	xx,xx

OTHER HYDRAULIC EQUIPMENT

▶ HYDRAULIC WHEEL DOLLY



- For easy handling of even the largest vehicle tyres
- Capacity: 500 kg
- Quick lift ram to raise wheel and to enable quick assembling
- Foot pedal raise, hand release via "dead man" release valve for maximum safety

Icon	Ton	mm	kg	Icon	EAN Code	€
	BH8AC3-500	0,5	365 x 1.100 x 885	78	1	7314150170487 xx,xx

▶ PORTABLE RAM SETS 4T AND 10T



- Portable hydraulic equipment for straightening of rams
- Quick click assembling system for easier and faster operation
- The sets include:
 - Hand pump
 - Hose
 - Cylinder ram
 - Spreader ram
 - Rubber head
 - Rubber faced flat base
 - 90° V-base
 - Serrated saddle
 - Male thread adaptor
 - A wide selection of extension tubes
- Diameter of hose connector: 1/4"
- Supplied in a robust blow molded case, the 10 T version's case is equipped with wheels for easy handling

Icon	Ton	mm	kg	Icon	EAN Code	€
	BH8PR4000	4	180 x 590 x 370	20.0	1	7314150178940 xx,xx
	BH8PR10000	10	215 x 1.030 x 500	38.5	1	7314150178957



www.bahco.com